



Avantgarde

Superior class mailboxes



Briefkasten &
Briefkastenanlagen

The basic model



Freestanding letter boxes

Recommended installation height is 1600 mm from floor level (FFL).

Letter box systems with base plates



III. 3/1

Fastening with base plates

For optimal mounting we recommend the use of M12 bolts. The ground has to be firm and clean.

Letter box systems for concreting



III. 3/2

Concreting in

The mailbox comes with a total height of 2000 mm, allowing 400 mm for concreting. As a foundation we recommend a con-crete cube of about 400 x 400 mm in volume.

Letter box systems for flush-mounted mounting

For flush-mounting letter box systems there are two different frame systems.

In addition to the standard angular frame, we also offer a special shadow gap frame with a small visible surface as shown in the illustration below.

This shadow gap ensures that the appearance of the letterbox system is emphasized against the background whilst sitting flush with the wall.

The modern and timeless design results in a harmonious overall image, and integrates the mail box system perfectly into the wall.



Letter box system for wall mounting



III. 4/1

Double letter box system with intercom box. Bell pushes with LED lighting. Letter box with second name plate and tag "NO JUNK MAIL".



III. 4/2



III. 5/1

Freestanding letter box system with camera and lighting button.



III. 5/2

Free standing letter box system.

Colours

Every letter box system is available in the following version:



III. 5/3

- JU Standard colour (RAL9016, RAL9007)
- RAL and DB colours of choice, or powder provided by customer
- Stainless steel
- Anodized aluminium

JU AVANTGARDE - Vertical letter boxes 05 for wall mounting



III. 6/1

Double letter box for wall mounting with intercom box on top and black house number engraving.

Note:
Wall mounted letter box systems may be ordered with a fastening rail. The fastening rail allows for balancing out an uneven walls.



III. 6/2



III. 6/3



III. 6/4

Letter box system for wall mounting.



III. 7/1

III. 7/2

Freestanding letter box system with intercom box on top and backlit name engraving.



III. 8/1

Letter box system with surround frame for flush-mounted wall mounting. With intercom box and newspaper box.



III. 8/2

Letter box with intercom box, bell push and light switch.



III. 9/1

Column with flush-mounted letter boxes Avantgarde, house number engraving and camera.



III. 9/2

Column with flush-mounted letter boxes Avantgarde and camera.



III. 10/1










Six-unit freestanding letter box system. Intercom box in segmented array, may also available as a one piece intercom door.

Freestanding letter box system with backlit engraving. For bolting onto ground or for setting into concrete.











III. 10/2







Vertical boxes - Dimensions - AVANTGARDE


Description		Dimensions (mm)			Item Nr.	
		W	H	D		
Letter box		300	420	150	05-100	
Letter box		400	420	150	05-300	
Intercom box		200	420	150	05-107	
Intercom or engraving box		300	200	150	05-108	
Intercom or engraving box		400	200	150	05-308	
Newspaper box		300	200	150	05-120	
Newspaper box		400	200	150	05-320	

JU AVANTGARDE - Horizontal boxes - Dimensions

	Description	DIN	Dimensions (mm)			Item Nr.
			W	H	D	
	Letter box Throw-in 270 x 35 mm	DIN	300	220	380	05-500
	Letter box Throw-in 270 x 35 mm	DIN	300	330	380	05-520
	Letter box Throw-in 370 x 35 mm	DIN	400	220	280	05-700
	Letter box Throw-in 370 x 35 mm	DIN	400	330	280	05-720
	Intercom box		200	220	380	05-507
	Intercom box		200	220	280	05-707
	Intercom box		200	330	380	05-527
	Intercom box		200	330	280	05-727

Description	Dimensions (mm)			Item Nr.
	W	H	D	
Engraving box	300	200	380	05-508
Intercom box	300	220	380	05-509
Intercom or engraving box	300	330	380	05-510
Engraving box	400	200	280	05-708
Intercom box	400	220	280	05-709
Intercom or engraving box	400	330	280	05-710





Description

Flat Surround
2 mm sheet coating

Aluminium
Stainless


Item Nr.

20-242A
20-242EA

Rear plate for freestanding letter box systems

Aluminium
Stainless

20-242R
20-242RE



NOVA Surround
Standard type


Aluminium
Stainless

20-999A
20-999EA

Rear plate for freestanding letter box systems

Aluminium
Stainless

20-242R
20-242RE



NOVA Surround
Continuing as stand


Aluminium
Stainless

20-999AFL
20-999EFL

Rear plate for freestanding letter box systems

Aluminium
Stainless

20-242R
20-242RE





















Base plates

for bolting onto ground. Size of base plate depends on the letter box depth selected. Freestanding letter box systems only.

Aluminium
Stainless

20-999BP
20-999EBP

Description	Item Nr.	
Speech Grille laser cut	21-174	
Bell push	21-216FE	
flush-mounted		
Bell push	21-216FW	
flush-mounted, LED ring lighting white		
Bell push	21-216FB	
flush-mounted, LED ring lighting blue		
Bell push	21-216FR	
flush-mounted, LED ring lighting red		
Name plate	21-134	
theft protected flush-mounted, plexiglass		
Name plate	21-134E	
theft protected flush-mounted, plexiglass with inox name tag		
Name plate	21-134EV	
theft protected flush-mounted, plexiglass with anodized name tag		
Name plate	21-134RP	
theft protected flush-mounted, plexiglass with Resopal name tag		
Tag	21-146RP	
engraved (text to be defined by customer) resopal, matches name plate 21-134		
Tag	21-146E	
engraved (text to be defined by customer) inox, matches name plate 21-134		
Tag	21-146EV	
engraved (text to be defined by customer) anodized, matches name plate 21-134		
Tag engraved with lighting symbol	21-147RP	
resopal, matches name plate 21-134		
Tag engraved with lighting symbol	21-147E	
inox, matches name plate 21-134		
Tag engraved with lighting symbol	21-147EV	
anodized, matches name plate 21-134		



🏠 JU-Metallwarenfabrik GmbH

Landauerstraße 14, 21-23

74582 Gerabronn

☎ +49 (0) 7952 603 - 0

📠 +49 (0) 7952 603 - 102

✉ info@ju-briefkasten.com

🌐 www.ju-briefkasten.com

🏠 JU-Metalltechnik GmbH

Hoymer Str. 10

06469 Seeland

☎ +49 (0) 34741 933 - 0

📠 +49 (0) 34741 933 - 10

✉ info@ju-briefkasten.com

🌐 www.ju-briefkasten.com