

Model 01



Mailbox systems, display cases, steles, signages, parcel locker systems, special equipment

# PLANNING DOCUMENTS

---



Briefkasten &  
Briefkastenanlagen



III. 2/1

First class through-wall model 01-215  
stainless steel front plate mail slot flap  
I/D compartment with intercom grid 21-174  
doorbell button 21-216FW  
name plate 21-134

JU - Through-wall mailbox for the masonry for different wall thicknesses through pull-out rear boxes. An installation compartment for accommodating an

intercom system or an engraving a house number are only two of the other options that we can offer you within this model series.


**Product features**

- mailbox system with or without installation box for wall mounting
- box and removal door made of galvanized sheet steel
- extendable from 260 - 380 mm or from 380 - 500 mm
- removal doors additionally coated according to RAL specification
- aluminum front in one piece in RAL colours anodised/coated
- mail slot flaps made of aluminum
- removal door with cylinder lock, 2 keys and name plate

**Aluminum front in one piece**

- round profile frame
- edging 10 mm


**Stainless steel front with 10 mm edging**



III. 3/1

Model 01-100

Box: 250 x 100 x 260 - 380 mm or 380 - 500 mm  
 Mail slot: 230 x 35 mm (DIN C4)  
 Accessories: starting from page 168




Item	Unit	Dimensions in mm W · H · D	Order number
Through-wall mailbox, diagonal extendable from 260 - 380 mm	pc.	250 100 260-380	01-115
Through-wall mailbox, diagonal extendable from 380 - 500 mm	pc.	250 100 380-500	01-116
Through-wall mailbox, diagonal extendable from 260 - 380 mm box can also be used as an installation box	pc.	250 200 260-380	01-117
Through-wall mailbox, diagonal extendable from 380 - 500 mm box can also be used as an installation box	pc.	250 200 380-500	01-118
Installation box, unloaded box can also be used as an info or dummy box	pc.	250 125 80	01-135
Installation box, unfitted box can also be used as an info or dummy box	pc.	250 250 80	01-138


Box: 300 x 125 x 260 - 380 mm or 380 - 500 mm  
 Mail slot: 280 x 35 mm (DIN C4)  
 Accessories: starting from page 168

Model 01-200


Item	Unit	Dimensions in mm W · H · D	Order number
Through-wall mailbox, diagonal extendable from 260 - 380 mm	pc.	300 125 260-380	01-215
Through-wall mailbox, diagonal extendable from 380 - 500 mm	pc.	300 125 380-500	01-216
Through-wall mailbox, diagonal extendable from 260 - 380 mm box can also be used as an installation box	pc.	300 250 260-380	01-217
Through-wall mailbox, diagonal extendable from 380 - 500 mm box can also be used as an installation box	pc.	300 250 380-500	01-218
Installation box, unloaded box can also be used as an info or dummy box	pc.	300 125 80	01-235
Installation box, unfitted box can also be used as an info or dummy box	pc.	300 250 80	01-238



Item	Unit	Dimensions in mm W · H · D	Order number
Aluminium front plate, 2.5 mm thick without edging suitable for round profile frame, without mail slot flap and accessories	m <sup>2</sup>	2,5	01-556
Aluminium front plate, 2.5 mm thick with surrounding 10 mm edging, without mail slot flap	m <sup>2</sup>	2,5	01-557
Stainless steel front plate, 2 mm thick with surrounding 10 mm edging, rust-free, matt brushed	m <sup>2</sup>	2	01-557E
Aluminium round profile frame (not possible in stainless steel)	per m	20 35	22-238
Aluminium mail slot flap with name plate and anti-pilfer baffle	pc.	230 35	02-720
Stainless steel mail slot flap with name plate and anti-pilfer baffle	pc.	230 35	02-720E
Aluminium newspaper slot flap from the compartment height of 200 mm, with name plate, no engraving Additional charge: "NEWSPAPERS" engraving	pc.	230 50	02-723 25-301
Stainless steel newspaper slot flap from the compartment height of 200 mm, with name plate, no engraving Additional charge: "NEWSPAPERS" engraving	pc.	230 50	02-723E 25-301E




Item	Unit	Dimensions in mm W · H · D	Order number
Aluminium front plate, 2.5 mm thick without edging suitable for round profile frame, without mail slot flap and accessories	m <sup>2</sup>	2,5	01-556
Aluminium front plate, 2.5 mm thick with surrounding 10 mm edging, without mail slot flap	m <sup>2</sup>	2,5	01-557
Stainless steel front plate, 2 mm thick with surrounding 10 mm edging, rust-free, matt brushed	m <sup>2</sup>	2	01-557E
Aluminium round profile frame (not possible in stainless steel)	per m	20 35	22-238
Aluminium mail slot flap with name plate and anti-pilfer baffle	pc.	280 35	02-820
Stainless steel mail slot flap with name plate and anti-pilfer baffle	pc.	280 35	02-820E
Aluminium mail slot flap, aluminium, flush-mounted, compartment height starting from 250 mm cushioned and insulated, name plate and anti-pilfer baffle	pc.	250 35	02-850
Stainless steel mail slot flap, aluminium, flush-mounted, compartment height starting from 250 mm cushioned and insulated, name plate and anti-pilfer baffle	pc.	250 35	02-850E
Aluminium newspaper slot flap from the compartment height of 200 mm, with name plate, no engraving Additional charge: "NEWSPAPERS" engraving	pc.	280 50	02-823 25-301
Stainless steel newspaper slot flap from the compartment height of 200 mm, with name plate, no engraving Additional charge: "NEWSPAPERS" engraving	pc.	280 50	02-823E 25-301E




Model 01-300

Box: 350 x 125 x 260 - 380 mm or 380 - 500 mm  
 Mail slot: 330 x 35 mm (DIN C4 landscape)  
 Accessories: starting from page 168



Item	Unit	Dimensions in mm W · H · D	Order number
Through-wall mailbox, diagonal extendable from 260 - 380 mm	pc.	350 125 260-380	01-315
Through-wall mailbox, diagonal extendable from 380 - 500 mm	pc.	350 125 380-500	01-316
Through-wall mailbox, diagonal extendable from 260 - 380 mm box can also be used as an installation box	pc.	350 250 260-380	01-317
Through-wall mailbox, diagonal extendable from 380 - 500 mm box can also be used as an installation box	pc.	350 250 380-500	01-318
Installation box, unloaded box can also be used as an info or dummy box	pc.	350 125 80	01-335
Installation box, unfitted box can also be used as an info or dummy box	pc.	350 250 80	01-338

Item	Unit	Dimensions in mm W · H · D	Order number
Aluminium front plate, 2.5 mm thick without edging suitable for round profile frame, without mail slot flap and accessories	m <sup>2</sup>	2,5	01-556
Aluminium front plate, 2.5 mm thick with surrounding 10 mm edging, without mail slot flap	m <sup>2</sup>	2,5	01-557
Stainless steel front plate, 2 mm thick with surrounding 10 mm edging, rust-free, matt brushed	m <sup>2</sup>	2	01-557E
Aluminium round profile frame (not possible in stainless steel)	per m	20 35	22-238
Aluminium mail slot flap with name plate and anti-pilfer baffle	pc.	330 35	02-920
Stainless steel mail slot flap with name plate and anti-pilfer baffle	pc.	330 35	02-920E
Aluminium newspaper slot flap from the compartment height of 200 mm, with name plate, no engraving Additional charge: "NEWSPAPERS" engraving	pc.	330 50	02-923
Stainless steel newspaper slot flap from the compartment height of 200 mm, with name plate, no engraving Additional charge: "NEWSPAPERS" engraving	pc.	330 50	02-923E
			25-301
			25-301E



III. 7/1



Option 1: Economy Class

- 21-111 doorbell button with name plate
- 21-161 aluminium extruded profile

III. 7/2



Option 2: Business Class

- 21-217E bellpush, stainless steel
- 21-134 flush-mounted name plate
- 21-176 laser cut intercom grid

III. 7/3



Option 3: First Class

- 21-216FW flush-mounted doorbell button, stainless steel, ring lighting
- 21-134 flush-mounted name plate with LED lighting module 21-698
- 21-174 intercom grid
- Avantgarde flap, flush-mounted with Soft-Close-System®



III. 8/1  
 Business Class through-wall mail slot system model 01-315  
 front plate, aluminium with powder-coated mail slot flap  
 I/D compartment with mail slot flap intercom grid 21-176  
 ring button 21-217E  
 name plate 21-134  
 house number engraving in foil lettering



III. 9/1

Business class through-wall mail slot model 01-215  
 aluminium front plate with round profile frame 22-238  
 mail slot flap  
 powder-coated



III. 9/2



III. 9/3

**Cushioned mailbox flap**  
 with JU SCS® Soft-Close-System

A reliable solution against annoying rattling noises!  
 The dampened mailbox flap SCS® Soft-Close-System  
 is available on request for through-wall mail slot units  
 (model series 01).



**🏠 JU-Metallwarenfabrik GmbH**

Landauer Str. 14, 21-23  
74582 Gerabronn

☎ +49 (0) 7952 603 - 0  
📠 +49 (0) 7952 603 - 102  
✉ info@ju-briefkasten.com  
🌐 www.ju-briefkasten.com

**🏠 JU-Systemtechnik GmbH**

Landauer Str. 14, 21-23  
74582 Gerabronn

☎ +49 (0) 7952 926 - 074  
📠 +49 (0) 7952 926 - 154  
✉ info@ju-systemtechnik.com  
🌐 www.ju-systemtechnik.com

**🏠 JU-Metalltechnik GmbH**

Hoymer Str. 10  
06469 Seeland/OT Nachterstedt

☎ +49 (0) 34741 933 - 0  
📠 +49 (0) 34741 933 - 10  
✉ info@ju-briefkasten.com  
🌐 www.ju-briefkasten.com

**🏠 Decayeux GmbH**

Gewerbepark Seedoche 7  
14806 Bad Belzig

☎ +49 (0) 33841 97 - 0  
📠 +49 (0) 33841 97 - 100  
✉ info@ju-briefkasten.com  
🌐 www.ju-briefkasten.com

Your JU-salesman