



Mailbox systems, display cases, steles, signages, parcel locker systems, special equipment

PLANNING DOCUMENTS



**Briefkasten &
Briefkastenanlagen**



III. 42/1

Business Class surface-mounted mailbox system model 04-740
engraved box with Nova 20 panel with 70 mm
roof overhang with integrated LED lighting 21-697

Vertical mailboxes are particularly suitable where the structural conditions require the smallest possible depths of the mailboxes or mailbox systems, whether in the flush-mounted, surface-mounted or free-standing installation variants. A wide range of coverings can be used to meet the most varied requirements for optics or materials. For commercial real estate or for higher mail volumes, we recommend our standard solution model 04-700 with a depth of 150 mm with an appropriate panelling profile.



III. 43/1

Business Class free-standing system model 04-640
with round profile panelling 22-243N
continuous as a frame with base plates
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134









III. 43/2

Economy Class free-standing mailbox system model 04-640
with Sky panelling 22-243N
rectangular tube stands 20-315 with base plates
I/D box with intercom grid 21-161
name plate doorbell button 21-113

Model 04-300

Box: 260x330x110 mm
Mail slot: 220 x 35 mm (DINA4) with mail slot flap, 220 x 30 mm (DINA4) without mail slot flap
Accessories: starting from page 168









Item	Unit	Dimensions in mm W · H · D			Order number
Box	pc.	260	330	110	04-340
housings and doors powder-coated, mail slot flap made of aluminium					
Box	pc.	260	330	110	04-341
housings and doors powder-coated, without mail slot flap					
Box	pc.	260	330	110	04-342
door and flap made of anodised aluminium	pc.				04-340E
door and flap made of stainless steel	pc.	260	330	110	04-340ER
Box	pc.	260	330	110	04-346
made of stainless steel					
Installation box	pc.	260	330	110	04-346
(without accessories) made of galvanized steel sheet					
door made of anodised aluminium	pc.				04-356
door made of stainless steel	pc.				04-346E
Installation box	pc.	200	330	110	04-347
(without accessories) made of galvanized steel sheet					
door made of anodised aluminium	pc.				04-357
door made of stainless steel	pc.				04-347E
Installation box	pc.	260	135	110	04-349
(without accessories) made of galvanized steel sheet					
door made of anodised aluminium	pc.				04-359
door made of stainless steel	pc.				04-349E
Installation box	pc.	260	200	110	04-348
(without accessories) made of galvanized steel sheet					
powder-coated	pc.				04-358
door made of anodised aluminium	pc.				04-348E
door made of stainless steel					
Message box	pc.	260	330	110	04-350
made of galvanized steel sheet		165	235		
display surface	pc.				04-351
door made of anodised aluminium	pc.				04-350E
door made of stainless steel					
Newspaper	pc.	260	200	110	04-348Z
housing and tilting door made of galvanized steel sheet, powder-coated,					
turn lock and foil labelling "Newspapers",					
stainless steel tilt door,					
with turn lock and foil labelling "Newspapers",					04-348EZ
stainless steel tilt door,					
with turn lock and laser engraving "Newspapers"					04-349EZ
Assembly surcharge depending on the box	pc.				20-100

Box: 270x370x110 mm
Mail slot: 230x35 mm (DIN C4) with mail slot flap, 230x30 mm (DIN C4) without mail slot flap
Accessories: starting from page 168







Model 04-400

Item	Unit	Dimensions in mm W · H · D			Order number
Box	pc.	270	370	110	04-440
housings and doors powder-coated, mail slot flap made of aluminium					
Box	pc.	270	370	110	04-441
housings and doors powder-coated, without mail slot flap					
Box	pc.	270	370	110	04-442
door and flap made of anodised aluminium	pc.				04-440E
door and flap made of stainless steel	pc.	270	370	110	04-440ER
Box	pc.	270	370	110	04-446
made of stainless steel					
Installation box	pc.	270	370	110	04-446
(without accessories) made of galvanized steel sheet					
door made of anodised aluminium	pc.				04-456
door made of stainless steel	pc.				04-446E
Installation box	pc.	200	370	110	04-447
(without accessories) made of galvanized steel sheet					
door made of anodised aluminium	pc.				04-457
door made of stainless steel	pc.				04-447E
Installation box	pc.	270	135	110	04-449
(without accessories) made of galvanized steel sheet					
door made of anodised aluminium	pc.				04-459
door made of stainless steel	pc.				04-449E
Installation box	pc.	270	200	110	04-448
(without accessories) made of galvanized steel sheet					
powder-coated	pc.				04-458
door made of anodised aluminium	pc.				04-448E
door made of stainless steel					
Message box	pc.	270	370	110	04-450
made of galvanized steel sheet		175	275		
display surface	pc.				04-451
door made of anodised aluminium	pc.				04-450E
door made of stainless steel					
Newspaper	pc.	270	200	110	04-448Z
housing and tilting door made of galvanized steel sheet, powder-coated,					
turn lock and foil labelling "Newspapers",					
stainless steel tilt door,					
with turn lock and foil labelling "Newspapers",					04-448EZ
stainless steel tilt door,					
with turn lock and laser engraving "Newspapers"					04-449EZ
Assembly surcharge depending on the box	pc.				20-100



Model 04-600





Box: 375x320x110 mm
Mail slot: 325x35 mm (DIN C4 landscape) with mail slot flap, 325x30 mm (DIN C4 landscape) without mail slot flap
Accessories: starting from page 168









Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	375	320	110	04-640
Box housings and doors powder-coated, without mail slot flap	pc.	375	320	110	04-641
Box door and flap made of anodised aluminium door and flap made of stainless steel	pc. pc.	375	320	110	04-642 04-640E
Box made of stainless steel	pc.	375	320	110	04-640ER
Installation box (without accessories) made of galvanized steel sheet	pc.	375	320	110	04-646
door made of anodised aluminium	pc.				04-656
door made of stainless steel	pc.				04-646E
Installation box (without accessories) made of galvanized steel sheet	pc.	200	320	110	04-647
door made of anodised aluminium	pc.				04-657
door made of stainless steel	pc.				04-647E
Installation box (without accessories) made of galvanized steel sheet	pc.	375	135	110	04-649
door made of anodised aluminium	pc.				04-659
door made of stainless steel	pc.				04-649E
Installation box (without accessories) made of galvanized steel sheet	pc.	375	200	110	04-648
door made of anodised aluminium	pc.				04-658
door made of stainless steel	pc.				04-648E
Message box made of galvanized steel sheet	pc.	375	320	110	04-650
display surface	pc.	280	225		04-651
door made of anodised aluminium	pc.				04-650E
door made of stainless steel	pc.				
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door,	pc.	375	200	110	04-648Z
with turn lock and foil labelling "Newspapers", stainless steel tilt door,					04-648EZ
with turn lock and laser engraving "Newspapers"					04-649EZ
Assembly surcharge depending on the box	pc.				20-100

Box: 375x320x150 mm
Mail slot: 325x35 mm (DIN C4 landscape) with mail slot flap, 325x30 mm (DIN C4 landscape) without mail slot flap
Accessories: starting from page 168

Model 04-700









Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	375	320	150	04-740
Box housings and doors powder-coated, without mail slot flap	pc.	375	320	150	04-741
Box door and flap made of anodised aluminium door and flap made of stainless steel	pc. pc.	375	320	150	04-742 04-740E
Box made of stainless steel	pc.	375	320	150	04-740ER
Installation box (without accessories) made of galvanized steel sheet	pc.	375	320	150	04-746
door made of anodised aluminium	pc.				04-756
door made of stainless steel	pc.				04-746E
Installation box (without accessories) made of galvanized steel sheet	pc.	200	320	150	04-747
door made of anodised aluminium	pc.				04-757
door made of stainless steel	pc.				04-747E
Installation box (without accessories) made of galvanized steel sheet	pc.	375	135	150	04-749
door made of anodised aluminium	pc.				04-759
door made of stainless steel	pc.				04-749E
Installation box (without accessories) made of galvanized steel sheet	pc.	375	200	150	04-748
door made of anodised aluminium	pc.				04-758
door made of stainless steel	pc.				04-748E
Message box made of galvanized steel sheet	pc.	375	320	150	04-750
display surface	pc.	280	225		04-751
door made of anodised aluminium	pc.				04-750E
door made of stainless steel	pc.				
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door,	pc.	375	200	150	04-748Z
with turn lock and foil labelling "Newspapers", stainless steel tilt door,					04-748EZ
with turn lock and laser engraving "Newspapers"					04-749EZ
Assembly surcharge depending on the box	pc.				20-100



Model 04-870

Box: 300x440x110 mm
Mail slot: 260x35 mm (DIN C4) with mail slot flap, 260x30 mm (DIN C4) without mail slot flap
Accessories: starting from page 168









Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	300	440	110	04-870
Box housings and doors powder-coated, without mail slot flap	pc.	300	440	110	04-871
Box door and flap made of anodised aluminium	pc.	300	440	110	04-872
door and flap made of stainless steel	pc.				04-870E
Box made of stainless steel	pc.	300	440	110	04-870ER
Installation box (without accessories) made of galvanized steel sheet	pc.	300	440	110	04-876
door made of anodised aluminium	pc.				04-886
door made of stainless steel	pc.				04-876E
Installation box (without accessories) made of galvanized steel sheet	pc.	200	440	110	04-877
door made of anodised aluminium	pc.				04-887
door made of stainless steel	pc.				04-877E
Installation box (without accessories) made of galvanized steel sheet	pc.	300	200	110	04-878
door made of anodised aluminium	pc.				04-888
door made of stainless steel	pc.				04-878E
Installation box (without accessories) made of galvanized steel sheet	pc.	300	135	110	04-879
door made of anodised aluminium	pc.				04-889
door made of stainless steel	pc.				04-879E
Message box made of galvanized steel sheet	pc.	300	440	110	04-880
display surface		205	345		
door made of anodised aluminium	pc.				04-881
door made of stainless steel	pc.				04-880E
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door,	pc.	300	200	110	04-878Z
with turn lock and foil labelling "Newspapers", stainless steel tilt door,					04-878EZ
with turn lock and laser engraving "Newspapers"					04-879EZ
Safety package comprises: double lock, 50 mm mail slot, slide plate for slanted mail slot, mail retaining bracket					04-840S
Assembly surcharge depending on the box	pc				20-100

Box: 300x440x150 mm
Mail slot: 260x35 mm (DIN C4) with mail slot flap, 260x30 mm (DIN C4) without mail slot flap
Accessories: starting from page 168







Model 04-800

Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	300	440	150	04-840
Box housings and doors powder-coated, without mail slot flap	pc.	300	440	150	04-841
Box door and flap made of anodised aluminium	pc.	300	440	150	04-842
door and flap made of stainless steel	pc.				04-840E
Box made of stainless steel	pc.	300	440	150	04-840ER
Installation box (without accessories) made of galvanized steel sheet	pc.	300	440	150	04-846
door made of anodised aluminium	pc.				04-856
door made of stainless steel	pc.				04-846E
Installation box (without accessories) made of galvanized steel sheet	pc.	200	440	150	04-847
door made of anodised aluminium	pc.				04-857
door made of stainless steel	pc.				04-847E
Installation box (without accessories) made of galvanized steel sheet	pc.	300	200	150	04-848
door made of anodised aluminium	pc.				04-858
door made of stainless steel	pc.				04-848E
Installation box (without accessories) made of galvanized steel sheet	pc.	300	135	150	04-849
door made of anodised aluminium	pc.				04-859
door made of stainless steel	pc.				04-849E
Message box made of galvanized steel sheet	pc.	300	440	150	04-850
display surface		205	345		
door made of anodised aluminium	pc.				04-851
door made of stainless steel	pc.				04-850E
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door,	pc.	300	200	150	04-848Z
with turn lock and foil labelling "Newspapers", stainless steel tilt door,					04-848EZ
with turn lock and laser engraving "Newspapers"					04-849EZ
Safety package comprises: double lock, 50 mm mail slot, slide plate for slanted mail slot, mail retaining bracket					04-840S
Assembly surcharge depending on the box	pc.				20-100



Model 04-900

Box: 375x440x150 mm
Mail slot: 325x35 mm (DIN C4 landscape) with mail slot flap, 325x30 mm (DIN C4 landscape) without mail slot flap
Accessories: starting from page 168



Item		Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	DIN	pc.	375	440	150	04-940
	DIN	pc.	375	440	150	04-941
	DIN	pc.	375	440	150	04-942
		pc.				04-940E
Box housings and doors powder-coated, without mail slot flap	DIN	pc.	375	440	150	04-940ER
		pc.				
Box door and flap made of anodised aluminium door and flap made of stainless steel	DIN	pc.	375	440	150	
		pc.				
		pc.				
Box made of stainless steel		pc.	375	440	150	
		pc.				
		pc.				
Installation box (without accessories) made of galvanized steel sheet, door made of anodised aluminium, door made of stainless steel		pc.	375	440	150	04-946
		pc.				04-956
		pc.				04-946E
Installation box (without accessories) made of galvanized steel sheet, door made of anodised aluminium, door made of stainless steel		pc.	200	440	150	04-947
		pc.				04-957
		pc.				04-947E
Installation box (without accessories) made of galvanized steel sheet, door made of anodised aluminium, door made of stainless steel		pc.	375	135	150	04-949
		pc.				04-959
		pc.				04-949E
Installation box (without accessories) made of galvanized steel sheet, door made of anodised aluminium, door made of stainless steel		pc.	375	200	150	04-948
		pc.				04-958
		pc.				04-948E
Message box made of galvanized steel sheet, display surface, door made of anodised aluminium, door made of stainless steel		pc.	375	440	150	04-950
		pc.	280	345		
		pc.				04-951
Message box made of galvanized steel sheet, display surface, door made of anodised aluminium, door made of stainless steel		pc.				04-950E
		pc.				
		pc.				
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and laser engraving "Newspapers"		pc.	375	200	150	04-948Z
		pc.				04-948EZ
		pc.				04-949EZ
Safety package comprises: double lock, 50 mm mail slot, slide plate for slanted mail slot, mail retaining bracket		pc.				04-940S
		pc.				
		pc.				
Assembly surcharge depending on the box		pc.				20-100
		pc.				
		pc.				



III. 51/1
Shadow gap frame 22-234
(aluminium or stainless steel)



III. 51/2
Plaster frame 20 mm 22-236
(aluminium or stainless steel)



III. 51/3
Plaster frame 40 mm 22-240
(aluminium or stainless steel)



III. 51/4
Round profile plaster frame
22-237 (aluminium)



III. 51/5
Flat profile panelling
22-242N



III. 51/6
Flat profile panelling
22-242K



III. 51/7
Classic 20 mm
22-251



III. 51/8
Classic 40 mm
22-261



III. 51/9
Libra 20 mm
22-271



III. 51/10
Libra 40 mm
22-281



III. 51/11
Sky II
22-291



III. 51/12
Round profile panelling
22-243N/22-443N



III. 51/13
Compact panelling
22-650



III. 51/14
Hull panelling
Nova 20 mm 22-315



III. 51/15
Hull panelling
Nova 40 mm 22-335



III. 51/16
Signa
22-425



III. 52/1
Rectangular tube frame
20-311



III. 52/2
Round tube frame
20-321



III. 52/3
Oval tube frame
20-401



III. 52/4
Rectangular tube stands
20-315



III. 52/5
Round tube stands
20-325



III. 52/6
Oval tubular stands
20-405



III. 52/7
Cont. hull panelling
Nova 20 mm 22-316



III. 52/8
Cont. hull panelling
Nova 40 mm 22-336



III. 52/9
Continuous round profile
panelling
22-243S (110 mm deep)
22-443S (150 mm deep)



III. 52/10
Roof overhang extension
70 mm incl.
LED lighting 21-697



III. 53/1

First Class flush-mounted system model 04-640
with plaster frame 22-236
I/D compartment with intercom grid 21-174
doorbell button 21-216FW
name plate 21-134



III. 53/2

First Class flush-mounted system model 04-640
with round profile plaster frame 22-237
I/D compartment with intercom grid 21-176
doorbell button 21-217E
name plate 21-134



III. 54/1

First Class stainless steel flush-mounted model 04-840E
with shadow gap frame 22-234E



III. 55/1

Business Class free-standing system model 04-740
with a newspaper box 04-948Z
Nova 40 panelling continuing as stand 22-321
with base plates
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134
foil labelling



III. 55/2

First Class flush-mounted bell panel model 04-646
with intercom grid 21-174
doorbell button 21-216FR
name plate 21-134
lighting symbol insert 21-147
doorbell button 21-216FW
name plate 21-134
Nova 20 panelling 22-300



Business Class mailbox system surface-mounted
model 04-440
with Nova 20 panelling 22-300
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134
name plate insert label
"Lighting symbol" 21-147RP

III. 56/1



First Class flush-mounted system model 04-840
with shadow gap frame 22-234

III. 56/2



III. 57/1

Business Class mailbox system free-standing model 04-900
safety Class equipment
reinforced 24 mm doors
with three-point lock and profile half cylinder
lamella protection device
engraving compartment
Nova 40 panelling continuing as stand 22-321
with base plates



III. 57/2

Mailbox open-door system such as 63/1



III. 58/1

Business Class mailbox system
surface-mounted model 04-640
with Compact panelling 22-650
2 name plate
yes/no junk mail
I/D box with preparation for the camera
module to be supplied by the customer
intercom grid 21-176
doorbell button 21-216FW
name plate 21-134
doorbell button 21-216FR
name plate 21-134
with engraved insert
"Lighting symbol" 21-147RP



III. 58/2

Business Class mailbox system
flush-mounted model 04-640
with round profile plaster frame 22-237
I/D box with intercom grid 21-176
lighting illuminated button 21-118GE
doorbell button 21-217E
name plate 21-134



III. 58/3

Business Class mailbox system
surface-mounted model 04-640
with Libra 20 panelling 22-270



III. 59/1

Economy Class mailbox system surface-mounted
model 04-440
with Classic 40 panelling 22-260
2 name plate
yes/no junk mail
I/D box with intercom grid 21-161
name plate doorbell button 21-113
lighting illuminated button 21-118GEV



III. 59/2

Business Class mailbox system surface-mounted
model 04-640
with round profile panelling 22-243N
I/D box with intercom grid 21-174
doorbell button 21-217E
name plate 21-134
engraving box with an engraving as specified



Business Class mailbox system surface-mounted
model 04-740 with Nova 20 panelling 22-300

III. 60/1



First Class mailbox system flush-mounted model 04-640E
plaster frame 22-236E
I/D box with preparation for the camera module
intercom grid 21-174 to be supplied by the customer
doorbell button 21-216FW
name plate 21-134
doorbell button 21-216RW
name plate 21-134 with engraved insert "Lighting symbol" 21-147RP
info module 21-690 with LED lighting

III. 60/2



III. 61/1

Business Class flush-mounted model 04-640
I/D box with intercom grid 21-176
lighting button 21-118GE
doorbell button 21-217E
name plate 21-134
round profile frame 22-237



III. 62/1

Business Class mailbox system free-standing model 04-740
with rear wall Vita 40 panelling 22-410
pitched roof rectangular tube 20-315E
with base plates
I/D box with preparation the camera module to be supplied by the customer
intercom grid 21-174
doorbell button 21-216FW
name plate 21-134



III. 62/2

Economy Class mailbox system free-standing model 04-640
with rear wall Classic 20 panelling 22-250
rectangular tube 20-315
with base plates



III. 63/1

First Class mailbox system flush-mounted model 04-640E
2. name plate yes/no junk mail 21-255/21-145
plaster frame 22-236E
I/D box with preparation
the camera module to be supplied by the customer
intercom grid 21-174
doorbell button 21-216FW
name plate 21-134



III. 63/2

First Class mailbox system flush-mounted model 04-740
2. name plate yes/no junk mail 21-255/21-145
plaster frame 22-236
I/D box with preparation
the camera module to be supplied by the customer
intercom grid 21-176
doorbell button 21-217E
name plate 21-134
information module 21-690 with LED lighting



III. 64/1

Business Class free-standing system model 04-740
with newspaper box 04-948Z
continuous Nova 40 panelling as frame 22-321
with base plates
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134
foil labelling



III. 65/1

Business Class mailbox system freestanding model 04-740
2. name plate yes/no junk mail 21-255/21-145
with rear wall Vita 40-panelling 22-410
pitched roof
rectangular tube 20-315E with base plates
I/D box with preparation the camera module to be supplied by the customer
intercom grid 21-174
doorbell button 21-216FW
name plate 21-134



III. 65/2

First Class mailbox system freestanding model 04-740
2. name plate yes/no junk mail 21-255/21-145
with rear wall Nova 40 panelling, continuous, as frame 22-321
with base plates
I/D box with preparation the camera module to be supplied by the customer
intercom grid 21-174
doorbell button 21-216FW and name plate 21-134
doorbell button 21-216FW and name plate 21-134
insert "Lighting symbol" 21-147RP
house number engraving, illuminated



III. 65/3

Business Class mailbox system free-standing model 04-640
with rear wall Nova 20 panelling 22-300
rectangular tube frame 20-311
with base plates



🏠 JU-Metallwarenfabrik GmbH

Landauer Str. 14, 21-23

74582 Gerabronn

☎ +49 (0) 7952 603 - 0

📠 +49 (0) 7952 603 - 102

✉ info@ju-briefkasten.com

🌐 www.ju-briefkasten.com

🏠 JU-Systemtechnik GmbH

Landauer Str. 14, 21-23

74582 Gerabronn

☎ +49 (0) 7952 926 - 074

📠 +49 (0) 7952 926 - 154

✉ info@ju-systemtechnik.com

🌐 www.ju-systemtechnik.com

🏠 JU-Metalltechnik GmbH

Hoymer Str. 10

06469 Seeland/OT Nachterstedt

☎ +49 (0) 34741 933 - 0

📠 +49 (0) 34741 933 - 10

✉ info@ju-briefkasten.com

🌐 www.ju-briefkasten.com

🏠 Decayeux GmbH

Gewerbepark Seedoche 7

14806 Bad Belzig

☎ +49 (0) 33841 97 - 0

📠 +49 (0) 33841 97 - 100

✉ info@ju-briefkasten.com

🌐 www.ju-briefkasten.com

Your JU-salesman