

Model 11



Mailbox systems, display cases, steles, signages, parcel locker systems, special equipment

PLANNING DOCUMENTS



Briefkasten &
Briefkastenanlagen



III. 116/1

Display boxes
(125 mm installation depth on both sides)

- aluminum construction made of torsion-resistant, angular profiles
- rotating wing with concealed revolving belts or folding wings with gas struts
- glazing with 5 mm ESG in EPDM gaskets and glazing system
- safety lock with a cylinder cam lock (lock side > 700 mm = 2 locks)
- EPDM stopper seal between wing and frame
- concealed ventilation against windscreen fogging, fitted with insect protection mesh screens
- magnetic plate in the centre, powder-coated, white
- anodised silver profile surface, E6/ EV1
- optionally, with lighting and labeling panel made of acrylic glass or backlighting



III. 117/1

Display boxes
(30 mm installation depth)

- aluminum construction made of torsion-resistant, angular profiles
- rotary wing with concealed hinges
- glazing with 3 mm acrylic glass (4 mm ESG up to A3 size, available at the same price) in EPDM seal, optionally replaceable
- safety lock with a cylinder cam lock (lock side > 700 mm = 2 locks)
- EPDM stopper seal between wing and frame
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting
- anodised silver profile surface, E6/ EV1
- use in protected outdoor areas only



III. 117/2

Display boxes
(35 mm installation depth)

- aluminum construction made of torsion-resistant, angular profiles
- rotary wing with concealed revolving belts or optional folding wings with upright poles
- glazing with 4 mm ESG in EPDM gasket, replaceable
- safety lock with a cylinder cam lock (lock side > 700 mm = 2 locks)
- EPDM stopper seal between wing and frame
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting
- anodised silver profile surface, E6/ EV1
- optionally with lighting and light-proof screen



III. 117/3

Display boxes
(40/50 mm installation depth)

- flush-mounted front with surrounding passe-partout in standard black, other RAL tones available on request
- concealed aluminium construction made of torsion-resistant, angular profiles
- rotating or folding wings with concealed swivel belts
- safety lock from the bottom or from the side
- EPDM stopper seal between wing and frame
- concealed ventilation against windscreen fogging
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting
- anodised silver profile surface, E6/ EV1
- with optional lighting



III. 118/1

Display boxes
(45 mm installation depth)

- aluminum construction made of torsion-resistant, angular profiles
- rotating wing with concealed revolving belts or folding wings with gas struts
- glazing with 4 mm ESG in EPDM gasket, replaceable
- safety lock with a cylinder cam lock (lock side > 700 mm = 2 locks)
- EPDM stopper seal between wing and frame
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting
- with optional lighting and labeling panel made of acrylic glass
- anodised silver profile surface, E6/ EV1



III. 118/2

Display boxes
(61 mm installation depth)


- aluminum construction made of torsion-resistant, angular profiles
- folding wing with concealed swivel belts and gas struts
- glazing with 4 mm ESG in EPDM seal
- safety lock with a pressure cylinder lock (lock side > 700 mm = 2 locks)
- EPDM stopper seal between wing and frame
- ventilation against windscreen fogging in the rear wall
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting
- with optional lighting and labeling panel made of acrylic glass
- anodised silver profile surface, E6/ EV1



III. 118/3

Display boxes
(65 mm installation depth)

- aluminum construction made of torsion-resistant, angular profiles
- rotating wing with concealed revolving belts or folding wings with gas struts
- glazing with 5 mm ESG in EPDM gaskets and glazing system
- safety lock with a cylinder cam lock (lock side > 700mm = 2 locks)
- EPDM stopper seal between wing and frame
- concealed ventilation against windscreen fogging, fitted with insect protection mesh screens
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting
- with optional lighting and labeling panel made of acrylic glass
- anodised silver profile surface, E6/ EV1



III. 119/1

Display boxes
(110 mm installation depth)

- aluminum construction made of torsion-resistant, angular profiles
- rotating wing with concealed revolving belts or folding wings with gas struts
- glazing with 5 mm ESG in EPDM gaskets and glazing system
- safety lock with a cylinder cam lock (lock side > 700 mm = 2 locks)
- EPDM stopper seal between wing and frame
- concealed ventilation against windscreen fogging, fitted with insect protection mesh screens
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting
- anodised silver profile surface, E6/ EV1
- optionally, with lighting and labeling panel made of acrylic glass or backlighting



III. 119/2

Display boxes
(140 mm installation depth on one side/180 mm installation depth on both sides)

- flush-mounted front with surrounding passe-partout in standard black, other RAL tones available on request
- concealed aluminium construction made of torsion-resistant, angular profiles
- folding wing with concealed swivel belts and gas pressure openers
- safety lock on the bottom and multiple interlock
- EPDM stopper seal between wing and frame
- magnetic plate, powder-coated, white
- rear wall with 4 grooves for flush wall-mounting (for one-side model only)
- anodised silver profile surface, E6/ EV1
- with optional lighting or background lighting



III. 119/3

Display boxes
(planked stainless steel)





- all variants (external installation depth 30 mm) can be planked with V2A or V4A
- due to special gluing and edge technology can be continuously used in the external and internal area
- models comply with the relevant standard
- optionally, also available as purely stainless steel construction

Model 11

Simple display boxes for in-house memos - Suitable for indoor use only housing made of galvanised steel sheet in RAL 9016 traffic white or RAL as requested powder-coated. Doors hinged on the right, made of single pane safety glass 5 mm with cylinder cam lock. Supplied with 6 pcs magnet clamps (DINA3), 9 pcs magnet clamps (DIN A2).

Aluminium construction made of torsion-resistant, angular profiles; rotary wing with concealed swivel belts or folding wing with gas struts; glazing with 5mm ESG in EPDM gaskets and glass strip system; safety lock with a cylinder cam lock (lock side > 700mm = 2 locks); EPDM stopper seal between wing and frame; concealed ventilation against window fogging, provided with insect protection mesh screen; magnetic clamp plate, powder-coated, white; rear wall with 4 grooves for flush wall mounting; anodised silver profile surface, E6/ EV1; with optional lighting and name panel made of acrylic glass or background lighting.

Model 11

Item	External dimensions in mm			Write-on label		Order number
	W	H	D	W	H	
 Message boxes for in-house memos DINA3 portrait	360	480	35	320	450	11-100
 Message boxes for in-house memos DINA3 landscape	490	350	35	450	320	11-101
 Message boxes for in-house memos DINA2 portrait	490	660	35	450	630	11-200
 Message boxes for in-house memos DINA2 landscape	670	480	35	630	450	11-201



Item	External dimensions in mm			Order number
	W	H	D	
Display boxes DINA3 landscape folding wing with gas strut installation depth 65 mm	560	440	65	11-500
Display boxes DINA2 landscape folding wing with gas strut installation depth 65 mm	735	560	65	11-510
Display boxes DINA1 landscape folding wing with gas strut installation depth 65 mm	985	735	65	11-520
Display boxes DINA3 landscape rotary wing installation depth 65 mm	560	440	65	11-501
Display boxes DINA2 landscape rotary wing installation depth 65 mm	735	560	65	11-511
Display boxes DINA1 landscape rotary wing installation depth 65 mm	985	735	65	11-521
Display boxes DINA3 landscape folding wing with gas strut installation depth 110 mm	560	440	110	11-600
Display boxes DINA2 landscape folding wing with gas strut installation depth 110 mm	735	560	110	11-610
Display boxes DINA1 landscape folding wing with gas strut installation depth 110 mm	985	735	110	11-620
Display boxes DINA3 landscape rotary wing installation depth 110 mm	560	440	110	11-601
Display boxes DINA2 landscape rotary wing installation depth 110 mm	735	560	110	11-611
Display boxes DINA1 landscape rotary wing installation depth 110 mm	985	735	110	11-621





🏠 JU-Metallwarenfabrik GmbH

Landauer Str. 14, 21-23
74582 Gerabronn

☎ +49 (0) 7952 603 - 0
📠 +49 (0) 7952 603 - 102
✉ info@ju-briefkasten.com
🌐 www.ju-briefkasten.com

🏠 JU-Systemtechnik GmbH

Landauer Str. 14, 21-23
74582 Gerabronn

☎ +49 (0) 7952 926 - 074
📠 +49 (0) 7952 926 - 154
✉ info@ju-systemtechnik.com
🌐 www.ju-systemtechnik.com

🏠 JU-Metalltechnik GmbH

Hoymer Str. 10
06469 Seeland/OT Nachterstedt

☎ +49 (0) 34741 933 - 0
📠 +49 (0) 34741 933 - 10
✉ info@ju-briefkasten.com
🌐 www.ju-briefkasten.com

🏠 Decayeux GmbH

Gewerbepark Seedoche 7
14806 Bad Belzig

☎ +49 (0) 33841 97 - 0
📠 +49 (0) 33841 97 - 100
✉ info@ju-briefkasten.com
🌐 www.ju-briefkasten.com

Your JU-salesman