

Issue 2020



Mailbox systems, display cases, steles, signages, parcel locker systems, special equipment

PLANNING DOCUMENTS



**Briefkasten &
Briefkastenanlagen**



III. 42/1
Business Class surface-mounted mailbox system model 04-740
engraved box with Nova panel with 70 mm roof overhang
With integrated LED lighting 21-697

Vertical mailboxes are particularly suitable where the structural conditions require the smallest possible depths of the mailboxes or mailbox systems, whether in the flush-mounted, surface-mounted or free-standing installation variants. A wide range of coverings can be used to meet the most varied requirements for optics or materials. For commercial real estate or for higher mail volumes, we recommend our standard solution model 04-700 with a depth of 150 mm with an appropriate panelling profile.



III. 43/1

Business Class free-standing system model 04-640
with round profile panelling 22-243N
continuous as a frame with base plates
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134









III. 43/2

Economy Class free-standing mailbox system model 04-640
with Sky panelling 22-243N
rectangular tube stands 20-315 with base plates
I/D box with intercom grid 21-161
name plate doorbell button 21-113

Model 04-300

Box: 260x330x110 mm
Mail slot: 220x35 mm (DINA4) with mail slot flap, 220x30 mm (DINA4) without mail slot flap
Accessories: starting from page 158









Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	260	330	110	04-340
Box housings and doors powder-coated, without mail slot flap	pc.	260	330	110	04-341
Box door and flap made of anodised aluminium	pc.	260	330	110	04-342
Box door and flap made of stainless steel	pc.				04-340E
Box made of stainless steel	pc.	260	330	110	04-340ER
Installation box (without accessories) made of galvanized steel sheet	pc.	260	330	110	04-346
door made of anodised aluminium	pc.				04-356
door made of stainless steel	pc.				04-346E
Installation box (without accessories) made of galvanized steel sheet	pc.	200	330	110	04-347
door made of anodised aluminium	pc.				04-357
door made of stainless steel	pc.				04-347E
Installation box (without accessories) made of galvanized steel sheet	pc.	260	135	110	04-349
door made of anodised aluminium	pc.				04-359
door made of stainless steel	pc.				04-349E
Installation box (without accessories) made of galvanized steel sheet	pc.	260	200	110	04-348
powder-coated	pc.				04-358
door made of anodised aluminium	pc.				04-348E
door made of stainless steel	pc.				
Message box made of galvanized steel sheet	pc.	260	330	110	04-350
display surface	pc.	165	235		04-351
door made of anodised aluminium	pc.				04-350E
door made of stainless steel	pc.				
Newspaper housing and tilting door made of galvanized steel sheet,	pc.	260	200	110	04-348Z
powder-coated,					
turn lock and foil labelling "Newspapers",					
stainless steel tilt door,					
with turn lock and foil labelling "Newspapers",					04-348EZ
stainless steel tilt door,					
with turn lock and laser engraving "Newspapers"					04-349EZ
Assembly surcharge depending on the box	pc.				20-100

Box: 270x370x110 mm
Mail slot: 230x35 mm (DIN C4) with mail slot flap, 230x30 mm (DIN C4) without mail slot flap
Accessories: starting from page 158

Model 04-400

Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	270	370	110	04-440
Box housings and doors powder-coated, without mail slot flap	pc.	270	370	110	04-441
Box door and flap made of anodised aluminium	pc.	270	370	110	04-442
Box door and flap made of stainless steel	pc.				04-440E
Box made of stainless steel	pc.	270	370	110	04-440ER
Installation box (without accessories) made of galvanized steel sheet	pc.	270	370	110	04-446
door made of anodised aluminium	pc.				04-456
door made of stainless steel	pc.				04-446E
Installation box (without accessories) made of galvanized steel sheet	pc.	200	370	110	04-447
door made of anodised aluminium	pc.				04-457
door made of stainless steel	pc.				04-447E
Installation box (without accessories) made of galvanized steel sheet	pc.	270	135	110	04-449
door made of anodised aluminium	pc.				04-459
door made of stainless steel	pc.				04-449E
Installation box (without accessories) made of galvanized steel sheet	pc.	270	200	110	04-448
door made of anodised aluminium	pc.				04-458
door made of stainless steel	pc.				04-448E
Message box made of galvanized steel sheet	pc.	270	370	110	04-450
display surface	pc.	175	275		04-451
door made of anodised aluminium	pc.				04-450E
door made of stainless steel	pc.				
Newspaper housing and tilting door made of galvanized steel sheet,	pc.	270	200	110	04-448Z
powder-coated,					
turn lock and foil labelling "Newspapers",					
stainless steel tilt door,					
with turn lock and foil labelling "Newspapers",					04-448EZ
stainless steel tilt door,					
with turn lock and laser engraving "Newspapers"					04-449EZ
Assembly surcharge depending on the box	pc.				20-100









Model 04-600

Box: 375x320x110 mm
Mail slot: 325x35 mm (DIN C4 landscape) with mail slot flap, 325x30 mm (DIN C4 landscape) without mail slot flap
Accessories: starting from page 158







Box: 375x320x150 mm
Mail slot: 325x35 mm (DIN C4 landscape) with mail slot flap, 325x30 mm (DIN C4 landscape) without mail slot flap
Accessories: starting from page 158

Model 04-700

Item		Unit	Dimensions in mm W · H · D			Order number	Item		Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium		pc.	375	320	110	04-640	Box housings and doors powder-coated, mail slot flap made of aluminium		pc.	375	320	150	04-740
		pc.	375	320	110	04-641			pc.	375	320	150	04-741
		pc. pc.	375	320	110	04-642 04-640E			pc. pc.	375	320	150	04-742 04-740E
		pc.	375	320	110	04-640ER			pc.	375	320	150	04-740ER
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	375	320	110	04-646	Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	375	320	150	04-746
		pc.				04-656			pc.				04-756
		pc.				04-646E			pc.				04-746E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	200	320	110	04-647	Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	200	320	150	04-747
		pc.				04-657			pc.				04-757
		pc.				04-647E			pc.				04-747E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	375	135	110	04-649	Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	375	135	150	04-749
		pc.				04-659			pc.				04-759
		pc.				04-649E			pc.				04-749E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	375	200	110	04-648	Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel		pc.	375	200	150	04-748
		pc.				04-658			pc.				04-758
		pc.				04-648E			pc.				04-748E
Message box made of galvanized steel sheet display surface door made of anodised aluminium door made of stainless steel		pc.	375 280	320 225	110	04-650	Message box made of galvanized steel sheet display surface door made of anodised aluminium door made of stainless steel		pc.	375 280	320 225	150	04-750
		pc.				04-651			pc.				04-751
		pc.				04-650E			pc.				04-750E
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and laser engraving "Newspapers"		pc.	375	200	110	04-648Z	Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and laser engraving "Newspapers"		pc.	375	200	150	04-748Z
						04-648EZ							04-748EZ
						04-649EZ							04-749EZ
Assembly surcharge depending on the box		pc.				20-100	Assembly surcharge depending on the box		pc.				20-100

Model 04-870

Box: 300x440x110 mm
Mail slot: 260x35 mm (DIN C4) with mail slot flap, 260x30 mm (DIN C4) without mail slot flap
Accessories: starting from page 158









Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	300	440	110	04-870
Box housings and doors powder-coated, without mail slot flap	pc.	300	440	110	04-871
Box door and flap made of anodised aluminium door and flap made of stainless steel	pc. pc.	300	440	110	04-872 04-870E
Box made of stainless steel	pc.	300	440	110	04-870ER
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300	440	110	04-876 04-886 04-876E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	200	440	110	04-877 04-887 04-877E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300	200	110	04-878 04-888 04-878E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300	135	110	04-879 04-889 04-879E
Message box made of galvanized steel sheet display surface door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300 205	440 345	110	04-880 04-881 04-880E
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and laser engraving "Newspapers"	pc.	300	200	110	04-878Z 04-878EZ 04-879EZ
Safety package comprises: double lock, 50 mm mail slot, slide plate for slanted mail slot, mail retaining bracket					04-840S
Assembly surcharge depending on the box	pc				20-100

Box: 300x440x150 mm
Mail slot: 260x35 mm (DIN C4) with mail slot flap, 260x30 mm (DIN C4) without mail slot flap
Accessories: starting from page 158







Model 04-800




Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	pc.	300	440	150	04-840
Box housings and doors powder-coated, without mail slot flap	pc.	300	440	150	04-841
Box door and flap made of anodised aluminium door and flap made of stainless steel	pc. pc.	300	440	150	04-842 04-840E
Box made of stainless steel	pc.	300	440	150	04-840ER
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300	440	150	04-846 04-856 04-846E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	200	440	150	04-847 04-857 04-847E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300	200	150	04-848 04-858 04-848E
Installation box (without accessories) made of galvanized steel sheet door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300	135	150	04-849 04-859 04-849E
Message box made of galvanized steel sheet display surface door made of anodised aluminium door made of stainless steel	pc. pc. pc.	300 205	440 345	150	04-850 04-851 04-850E
Newspaper housing and tilting door made of galvanized steel sheet, powder-coated, turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and foil labelling "Newspapers", stainless steel tilt door, with turn lock and laser engraving "Newspapers"	pc.	300	200	150	04-848Z 04-848EZ 04-849EZ
Safety package comprises: double lock, 50 mm mail slot, slide plate for slanted mail slot, mail retaining bracket					04-840S
Assembly surcharge depending on the box	pc.				20-100



Model 04-900

Box: 375x440x150 mm
Mail slot: 325x35 mm (DIN C4 landscape) with mail slot flap, 325x30 mm (DIN C4 landscape) without mail slot flap
Accessories: starting from page 158



Item	Unit	Dimensions in mm W · H · D			Order number
Box housings and doors powder-coated, mail slot flap made of aluminium	 pc.	375	440	150	04-940
Box housings and doors powder-coated, without mail slot flap	 pc.	375	440	150	04-941
Box door and flap made of anodised aluminium	 pc.	375	440	150	04-942
door and flap made of stainless steel	pc.				04-940E
Box made of stainless steel	pc.	375	440	150	04-940ER
Installation box (without accessories) made of galvanized steel sheet,	pc.	375	440	150	04-946
door made of anodised aluminium,	pc.				04-956
door made of stainless steel	pc.				04-946E
Installation box (without accessories) made of galvanized steel sheet,	pc.	200	440	150	04-947
door made of anodised aluminium,	pc.				04-957
door made of stainless steel	pc.				04-947E
Installation box (without accessories) made of galvanized steel sheet,	pc.	375	135	150	04-949
door made of anodised aluminium,	pc.				04-959
door made of stainless steel	pc.				04-949E
Installation box (without accessories) made of galvanized steel sheet,	pc.	375	200	150	04-948
door made of anodised aluminium,	pc.				04-958
door made of stainless steel	pc.				04-948E
Message box made of galvanized steel sheet,	pc.	375	440	150	04-950
display surface,		280	345		
door made of anodised aluminium,	pc.				04-951
door made of stainless steel	pc.				04-950E
Newspaper housing and tilting door made of galvanized steel sheet,	pc.	375	200	150	04-948Z
powder-coated,					
turn lock and foil labelling "Newspapers",					
stainless steel tilt door,					
with turn lock and foil labelling "Newspapers",					04-948EZ
stainless steel tilt door,					
with turn lock and laser engraving "Newspapers"					04-949EZ
Safety package comprises: double lock, 50 mm mail slot,					04-940S
slide plate for slanted mail slot, mail retaining bracket					
Assembly surcharge depending on the box	pc.				20-100



III. 51/1
Shadow gap frame 22-234
(aluminium or stainless steel)



III. 51/2
Plaster frame 20 mm 22-236
(aluminium or stainless steel)



III. 51/3
Plaster frame 40 mm 22-240
(aluminium or stainless steel)



III. 51/4
Round profile plaster frame
22-237 (aluminium)



III. 51/5
Flat profile panelling
22-242N



III. 51/6
Flat profile panelling
22-242K



III. 51/7
Classic 20 mm
22-251



III. 51/8
Classic 40 mm
22-261



III. 51/9
Libra 20 mm
22-271



III. 51/10
Libra 40 mm
22-281



III. 51/11
Sky II
22-291



III. 51/12
Round profile panelling
22-243N/22-443N



III. 51/13
Compact panelling
22-650



III. 51/14
Hull panelling
Nova 20 mm 22-315



III. 51/15
Hull panelling
Nova 40 mm 22-335



III. 51/16
Signa
22-425



III. 52/1
Rectangular tube frame
20-311



III. 52/2
Round tube frame
20-321



III. 52/3
Oval tube frame
20-401



III. 52/4
Rectangular tube stands
20-315



III. 52/5
Round tube stands
20-325



III. 52/6
Oval tubular stands
20-405



III. 52/7
Cont. hull panelling*
Nova 20 mm 22-316



III. 52/8
Cont. hull panelling*
Nova 40 mm 22-336



III. 52/9
Continuous round profile
panelling
22-243S (110 mm deep)
22-443S (150 mm deep)



III. 52/10
Roof overhang extension
70 mm incl.
LED lighting 21-697



III. 53/1

First Class flush-mounted system model 04-640
with plaster frame 22-236
I/D compartment with intercom grid 21-174
doorbell button 21-216FW
name plate 21-134



III. 53/2

First Class flush-mounted system model 04-640
with round profile plaster frame 22-237
I/D compartment with intercom grid 21-176
doorbell button 21-217E
name plate 21-134

* Only possible from a box depth of 150 mm!



III. 54/1

First Class stainless steel flush-mounted model 04-840E
with shadow gap frame 22-234E



III. 55/1

Business Class free-standing system model 04-740
with a newspaper box 04-948Z
Nova 40 panelling continuing as stand 22-321
with base plates
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134
foil labelling



III. 55/2

First Class flush-mounted bell panel model 04-646
with intercom grid 21-174
doorbell button 21-216FR
name plate 21-134
lighting symbol insert 21-147
doorbell button 21-216FW
name plate 21-134
Nova 20 panelling 22-300



III. 56/1

Business Class mailbox system surface-mounted
model 04-440
with Nova 20 panelling 22-300
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134
name plate insert label
"Lighting symbol" 21-147RP



First Class flush-mounted system model 04-840
with shadow gap frame 22-234

III. 56/2



III. 57/1

Business Class mailbox system free-standing model 04-special
safety Class equipment
reinforced 24 mm doors
with three-point lock and profile half cylinder
lamella protection device
engraving compartment
Nova 40 panelling continuing as stand 22-321
with base plates



III. 57/2

Mailbox open-door system such as 63/1



III. 58/1

Business Class mailbox system
surface-mounted model 04-640
with Compact panelling 22-650
2 name plate
yes/no junk mail
I/D box with preparation for the camera
module to be supplied by the customer
intercom grid 21-176
doorbell button 21-216FW
name plate 21-134
doorbell button 21-216FR
name plate 21-134
with engraved insert
"Lighting symbol" 21-147RP



III. 58/2

Business Class mailbox system
flush-mounted model 04-640
with round profile plaster frame 22-237
I/D box with intercom grid 21-176
lighting illuminated button 21-118GE
doorbell button 21-217E
name plate 21-134



III. 58/3

Business Class mailbox system
surface-mounted model 04-640
with Libra 20 panelling 22-270



III. 59/1

Economy Class mailbox system surface-mounted
model 04-440
with Classic 40 panelling 22-260
2 name plate
yes/no junk mail
I/D box with intercom grid 21-161
name plate doorbell button 21-113
lighting illuminated button 21-118GEV



III. 59/2

Business Class mailbox system surface-mounted
model 04-640
with round profile panelling 22-243N
I/D box with intercom grid 21-174
doorbell button 21-217E
name plate 21-134
engraving box with an engraving as specified



Business Class mailbox system surface-mounted
model 04-740 with Nova 20 panelling 22-300

III. 60/1



First Class mailbox system flush-mounted model 04-640E
plaster frame 22-236E
I/D box with preparation for the camera module
intercom grid 21-174 to be supplied by the customer
doorbell button 21-216FW
name plate 21-134
doorbell button 21-216RW
name plate 21-134 with engraved insert "Lighting symbol" 21-147RP
info module 21-690 with LED lighting

III. 60/2



III. 61/1

Business Class flush-mounted model 04-640
I/D box with intercom grid 21-176
lighting button 21-118GE
doorbell button 21-217E
name plate 21-134
round profile frame 22-237



III. 62/1

Business Class mailbox system free-standing model 04-740
with rear wall Vita 40 panelling 22-410
pitched roof rectangular tube 20-315E
with base plates
I/D box with preparation the camera module to be supplied by the customer
intercom grid 21-174
doorbell button 21-216FW
name plate 21-134



III. 62/2

Economy Class mailbox system free-standing model 04-640
with rear wall Classic 20 panelling 22-250
rectangular tube 20-315
with base plates



III. 63/1

First Class mailbox system flush-mounted model 04-640E
2. name plate yes/no junk mail 21-255/21-145
plaster frame 22-236E
I/D box with preparation
the camera module to be supplied by the customer
intercom grid 21-174
doorbell button 21-216FW
name plate 21-134



III. 63/2

First Class mailbox system flush-mounted model 04-740
2. name plate yes/no junk mail 21-255/21-145
plaster frame 22-236
I/D box with preparation
the camera module to be supplied by the customer
intercom grid 21-176
doorbell button 21-217E
name plate 21-134
information module 21-690 with LED lighting



III. 64/1

Business Class free-standing system model 04-740
with newspaper box 04-948Z
continuous Nova 40 panelling as frame 22-321
with base plates
I/D box with intercom grid 21-176
doorbell button 21-217E
name plate 21-134
foil labelling



III. 65/1

First Class mailbox system freestanding model 04-740
2. name plate yes/no junk mail 21-255/21-145
with rear wall Nova 40 panelling, continuous, as frame 22-321
with base plates
I/D box with preparation the camera module to be supplied by the customer
intercom grid 21-174
doorbell button 21-216FW and name plate 21-134
doorbell button 21-216FW and name plate 21-134
insert "Lighting symbol" 21-147RP
house number engraving, illuminated



III. 65/2

Business Class mailbox system free-standing model 04-640
with rear wall Nova 20 panelling 22-300
rectangular tube frame 20-311
with base plates



**Briefkasten &
Briefkastenanlagen**

🏠 JU-Metallwarenfabrik GmbH

Landauer Str. 14, 21-23

74582 Gerabronn

☎ +49 (0) 7952 603 - 0

📠 +49 (0) 7952 603 - 102

✉ info@ju-briefkasten.com

🌐 www.ju-briefkasten.com

🏠 Decayeux GmbH

Gewerbepark Seedoche 7

14806 Bad Belzig

☎ +49 (0) 33841 97 - 0

📠 +49 (0) 33841 97 - 100

✉ info@ju-briefkasten.com

🌐 www.ju-briefkasten.com

Your JU-salesman