Issue 2020



Mailbox systems, display cases, steles, signages, parcel locker systems, special equipment

PLANNING DOCUMENTS





First Class mailbox system free-standing model 08-512 I/D box with intercom grid 21-174, 21-147 doorbell button 21-216FW name plate 21-134 module preparation for the module (camera) to be supplied by the customer engraving box with the street and house number engraving with acrylic glass, flush-mounted rear wall Nova 20 panelling, continuous as stand 22-316 Prepared for on-site profile half cylinders as specified

Horizontal, space-saving mailboxes are particularly suitable where there is space in the depth, but not necessarily in the surface. The mailboxes of the series 08 can also be used efficiently for multi-part, large systems. Available in three widths and two different depths, the options we offer are diverse.





III. 85/2

III. 85/3



Horizontal mailbox (space-saving) - 08 JU





Economy Class surface-mounted

Economy Class flush-mounted

Economy Class free-standing

Business Class surface-mounted

. Distant a . . C. States In States 0 0 III. 86/1



Business Class flush-mounted

. Titates . . Distants C then 0



III. 86/2

Business Class free-standing

. I that . . -I Maria 0 III. 86/3



Horizontal mailbox (space-saving) - 08 JU

First Class surface-mounted









JU 08 - Horizontal mailbox (space-saving)

Item				Accessories: starting from page 158				
	Unit	Dimensions in mm W H D	Order number	Item	Unit	Dimensions in mm W H D	Order number	
All boxes are available in stainless steel design				Newspaper slot made of aluminium	pc.	230 50	08-250	
Box	pc.	270 110 380	08-202	starting from box height 165 mm,				Zeitungen
mail slot flap made of anodised aluminium or coated	20		00.000		pc.		25-301	-onungen
door and mail slot flap, stainless steel	pc. pc.		08-203 08-202E	Newspaper slot made of stainless steel	pc.	230 50	08-250E	
Box	pc.	270 165 380	08-207	starting from box height 165 mm,				
	nc		08-208	Additional charge: "NEWSPAPERS" engraving	pc.		25-301E	
door and mail slot flap, stainless steel	pc. pc.		08-207E					
Box	pc.	270 220 380	08-212	Magagga bay	20	270 220 200	09.070	
	nc		08-213	stainless steel sheet display surface (175x235),	μc.	270 330 300	00-270	
door and mail slot flap, stainless steel	pc.		08-212E	partition wall 80 mm deep			00.071	330
Box	pc.	270 330 380	08-222	door made of anodised aluminium door made of stainless steel	pc. pc.		08-271 08-270E	175
	DC.		08-223	Message box	pc.	270 440 380	08-280	
door and mail slot flap, stainless steel	pc.		08-222E					270 380
Box	pc.	270 440 380	08-235	door made of anodised aluminium	pc.		08-281	
			08-236	door made of stainless steel	pc.		08-280E	
door and mail slot flap, stainless steel			08-235E	Pov: 200 x 110 x 200 mm				
Box	pc.		08-204	Mail slot: 260 x 35 mm (DIN C4)				Model 08-300
mail slot height 30 mm				Accessories: starting from page 158				
Installation box	pc.	270 110 380	08-205	Item	Unit	Dimensions in mm W · H · D	Order number	
door made of anodised aluminium	pc.		08-206	All hoves are available in stainless steel design				_
door made of stainless steel	pc.		08-205E	-	DC.	300 110 380	08-302	
	pc.	270 165 380	08-209	mail slot flap made of anodised aluminium or coated				
door made of anodised aluminium	pc.		08-210					65
	pc.				pc.	300 165 380		
Installation box (without accessories)	pc.	270 220 380	08-215	mail slot flap made of anodised aluminium or coated				
door made of anodised aluminium	pc.		08-216				08-308 08-307E	° 8
door made of stainless steel	pc.	070 000 000		Box DIM	pc.	300 220 380	08-312	
	pc.	270 330 380	08-225	mail slot flap made of anodised aluminium or coated			00.040	
door made of anodised aluminium	pc.		08-226				08-313 08-312E	° 330
		070 440 000		Box	pc.	300 330 380	08-322	
Installation box (without accessories)	pc.	270 440 380	08-227	mail slot flap made of anodised aluminium or coated				
door made of anodised aluminium	pc.		08-228		рс. рс.			
door made of stainless steel	pc.		08-227E	Box	pc.	300 440 380	08-335	0 0
				mail slot flap made of anodised aluminium or coated	10 m		00.000	
Storage compartment with turn lock	pc.	270 330 380	08-240	door and mail slot flap made of anodised aluminium door and mail slot flap, stainless steel	рс. рс.		08-336 08-335E	
	DC.		08-241	Box	pc.		08-304	
door made of stainless steel	pc.		08-240E	all boxes are also available without mail slot flaps,	-			300 30-
	Box Image: Solution of the provided of an odised aluminium or coated dor and mail slot flap, stainless steel Box Image: Solution of the provided of an odised aluminium or coated dor and mail slot flap made of an odised aluminium or coated dor and mail slot flap made of an odised aluminium or coated dor and mail slot flap, stainless steel Image: Solution of the provided of an odised aluminium or coated dor and mail slot flap, stainless steel Box Image: Solution of the provided of an odised aluminium or coated dor and mail slot flap, stainless steel Box Image: Solution of the provided of an odised aluminium or coated dor and mail slot flap, stainless steel Box Image: Solution of the provided of an odised aluminium or coated dor and mail slot flap made of an odised aluminium or coated dor and mail slot flap made of an odised aluminium or coated dor and mail slot flap, stainless steel Box Image: Solution of the provided of an odised aluminium or coated dor and mail slot flap, stainless steel Box Image: Solution or made of an odised aluminium or coated dor and mail slot flap, stainless steel Box Image: Solution or made of an odised aluminium or coated dor and mail slot flap made of an odised aluminium or coated dor and mail slot flap made of an odised aluminium dor made of stainless steel Imatlation box I	Box pc. mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium door made of anodised aluminium or coated door made of anodised aluminium or coated door made of anodised aluminium door made of anodised al	Box mail slot flap made of anodised aluminium door and mail slot flap, stainless steelpc. pc. pc.270110380Box mail slot flap, made of anodised aluminium door and mail slot flap, stainless steelpc.pc.pc.Box mail slot flap, made of anodised aluminium door and mail slot flap, stainless steelpc.pc.pc.Box mail slot flap, made of anodised aluminium door and mail slot flap, stainless steelpc.pc.pc.pc.Box mail slot flap, made of anodised aluminium door and mail slot flap, stainless steelpc. <td>Box pc. 270 110 380 08-202 mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap. stainless stel 010 pc. 270 165 380 08-203 Box 011 pc. 270 165 380 08-204 08-204 mail slot flap made of anodised aluminium or coated door and mail slot flap. stainless stel 011 pc. 270 220 380 08-212 08-208 Box 011 pc. 270 220 380 08-212 08-208 Box 011 pc. 270 220 380 08-212 08-208 Box 011 pc. 270 303 380 08-222 08-208 Box 011 pc. 270 303 380 08-222 08-223 Box 012 pc. 270 440 380 08-222 08-223 Box 012 pc. 270 110 380 08-235 08-235 mail slot</td> <td>BC PC 270 10 980 09 6202 starting tom backlight 163mn, with the hight 163mn, with the parket in the hight 163mn, with the par</td> <td>Br P</td> <td>Bet PA <t< td=""><td>Bot Total of the point of any out of any</td></t<></td>	Box pc. 270 110 380 08-202 mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium or coated door and mail slot flap. stainless stel 010 pc. 270 165 380 08-203 Box 011 pc. 270 165 380 08-204 08-204 mail slot flap made of anodised aluminium or coated door and mail slot flap. stainless stel 011 pc. 270 220 380 08-212 08-208 Box 011 pc. 270 220 380 08-212 08-208 Box 011 pc. 270 220 380 08-212 08-208 Box 011 pc. 270 303 380 08-222 08-208 Box 011 pc. 270 303 380 08-222 08-223 Box 012 pc. 270 440 380 08-222 08-223 Box 012 pc. 270 110 380 08-235 08-235 mail slot	BC PC 270 10 980 09 6202 starting tom backlight 163mn, with the hight 163mn, with the parket in the hight 163mn, with the par	Br P	Bet PA <t< td=""><td>Bot Total of the point of any out of any</td></t<>	Bot Total of the point of any out of any



JU 08 - Horizontal mailbox (space-saving)

Model 08-300

Model 08-300	Box:300 x 110 x 380 mmMail slot:260 x 35 mm (DIN C4)Accessories:starting from page 158						Box:375x110x280 mmMail slot:325x35 mm (DIN C4 landscape)Accessories:starting from page 158	
	Item	Unit		isions i H		Order number	Item	Unit
	Installation box	pc.	300	110	380	08-305	All boxes are available in stainless steel design	
	(without accessories) door made of anodised aluminium	20				08-306	Box mail slot flap made of anodised aluminium or coated	pc.
	door made of stainless steel	рс. рс.				08-305E		
			200	105	200	08-309	door and mail slot flap made of anodised aluminium	pc.
	Installation box (without accessories)	pc.	300	165	380	08-309	door and mail slot flap, stainless steel	pc.
	door made of anodised aluminium	pc.				08-310	Box mail slot flap made of anodised aluminium or coated	pc.
	door made of stainless steel	pc.				08-309E	mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium	ne
	Installation box	pc.	300	220	380	08-315	door and mail slot flap, stainless steel	рс. рс.
	(without accessories)	p.01	000		000			
	door made of anodised aluminium	pc.				08-316	Box mail slot flap made of apodised aluminium or coated	pc.
	door made of stainless steel	pc.				08-315E	mail slot flap made of anodised aluminium or coated door and mail slot flap made of anodised aluminium	pc.
BARAAR (BARAAR)	Installation box	pc.	300	330	380	08-325	door and mail slot flap, stainless steel	pc.
	(without accessories)							
	door made of anodised aluminium	pc.				08-326	Box mail slot flap made of anodised aluminium or coated	pc.
	door made of stainless steel	pc.				08-325E	door and mail slot flap made of anodised aluminium	pc.
	Installation box	pc.	300	440	380	08-327	door and mail slot flap, stainless steel	pc.
	(without accessories) door made of anodised aluminium	20				08-328	Box	pc.
ABARARARARA ARARARARARA ARARARARARARA ARARARARARARARA ARARARARARARARARA ARARARARARARARARA	door made of stainless steel	pc. pc.				08-327E	Box mail slot flap made of anodised aluminium or coated	
		po.				00 0272	door and mail slot flap made of anodised aluminium	pc.
300 380							door and mail slot flap, stainless steel	pc.
,							Box	pc.
	Storage compartment with turn lock	pc.	300	330	380	08-340	all boxes are also available without mail slot flaps,	
	made of galvanized stainless steel, coated					00.044	mail slot height 30 mm	
4	door made of anodised aluminium door made of stainless steel	pc.				08-341 08-340E	Installation box	pc.
	uoor made or staimess steer	pc.				00-340E	(without accessories)	po.
							door made of anodised aluminium	pc.
							door made of stainless steel	pc.
	Newspaper slot made of aluminium	pc.	260	50		08-350	Installation box	pc.
Zoitu	starting from box height 165 mm,						(without accessories)	
Zeitungen	with name plate, without engraving "NEWSPAPERS"						door made of anodised aluminium	pc.
	Additional charge: "NEWSPAPERS" engraving	pc.				25-301	door made of stainless steel	pc.
-	Newspaper slot made of stainless steel	pc.	260	50		08-350E	Installation box	pc.
	starting from box height 165 mm, with name plate without approving "NEWSPARERS"						(without accessories) door made of anodised aluminium	pc.
	with name plate, without engraving "NEWSPAPERS" Additional charge: "NEWSPAPERS" engraving	pc.				25-301E	door made of stainless steel	pc.
	Additional onlarge. ME wor All End ongraving	po.				20 0012	Installation box	
							(without accessories)	pc.
							door made of anodised aluminium	pc.
	Message box	pc.	300	330	380	08-370	door made of stainless steel	pc.
	stainless steel sheet display surface (205 x 235),						Installation box	pc.
330 330	partition wall 80 mm deep					00.071	(without accessories)	
	door made of anodised aluminium door made of stainless steel	рс. рс.				08-371 08-370E	door made of anodised aluminium	pc.
205			0.00	440	200		door made of stainless steel	pc.
	Message box stainless steel sheet display surface (205 x 345),	pc.	300	440	380	08-380	Storage compartment with turn lock	pc.
300 380	partition wall 80mm deep						made of galvanized stainless steel, coated	he.
	door made of anodised aluminium	pc.				08-381	door made of anodised aluminium	pc.
	door made of stainless steel	pc.				08-380E	door made of stainless steel	pc.



Horizontal mailbox (space-saving) - 08 JU

Model 08-500

		Order number	in mm • D	nsions i H	Dimen W
110		08-502	280	110	375
		08-503 08-502E			
165	°	08-507	280	165	375
220	。	08-508 08-507E			
		08-512	280	220	375
330	•	08-513 08-512E			
		08-522	280	330	375
		08-523 08-522E			
440	0	08-535	280	440	375
		08-536 08-535E			
280		08-504			
, , , , , , , , , , , , , , , , , , ,	375				
Q.		08-505	280	110	375
165		08-506 08-505E			
	•	08-509	280	165	375
220	10000 (S) 100000	08-510 08-509E			
	111 ⊗ 1111 ©	08-515	280	220	375
330		08-516 08-515E			
		08-525	280	330	375
440	707070 707070	08-526 08-525E			
	- 19999	08-527	280	440	375
380	375	08-528 08-527E			
		08-540	280	330	375
	4	08-541 08-540E			
		00 0 102			

JU 08 - Horizontal mailbox (space-saving)

Box:

Mail slot:

Model 08-500

375x110x280mm 325 x 35 mm (DIN C4 landscape) starting from page 158 Accessories:

Wall assembly for the model series 08-200 to 08-500



	Item	Unit	Dimens W	sions ir H		Order number	Item		Unit
	Newspaper slot made of aluminium starting from box height 165 mm, with name plate, without engraving "NEWSPAPERS"	pc.	325	50		08-550	Wall mounting available from a system width of 1000 m	m.	per m
11	Additional charge: "NEWSPAPERS" engraving	pc.				25-301			
	Newspaper slot made of stainless steel starting from box height 165 mm, with name plate, without engraving "NEWSPAPERS"	pc.	325	50		08-550E			
	Additional charge: "NEWSPAPERS" engraving	pc.				25-301E			
	Message box stainless steel sheet display surface (280 x 235),	pc.	375	330	280	08-570	-		
330	partition wall 80 mm deep	pc.				08-571			
	door made of anodised aluminium door made of stainless steel	pc.				08-570E			
	Message box stainless steel sheet display surface (280x345),	pc.	375	440	280	08-580			
	partition wall 80 mm deep	pc.				08-581			
	door made of anodised aluminium door made of stainless steel	pc.				08-580E			




III. 92/1

Economy Class mailbox system surface-mounted 08-302E 2. name plate yes/no junk mail 21-255/21-145 box number engraving on the mail slot flap Libra 20 panelling 22-271 wall mounting rail

Other examples

Economy Class

Business Class






III. 93/2

Horizontal mailbox (space-saving) - 08 JU

Model 08











Business Class mailbox system surface-mounted model 08-202 with an open storage compartment double high compartment 08-212 with 50 mm newspaper slot designed with black engraving Libra 20 panelling 22-271 wall mounting rail 20-340





Horizontal mailbox (space-saving) - 08 JU

Business Class mailbox system surface-mounted model 08-202 with Vita 20 panelling 22-405 (pitched roof) wall mounting rail

Business Class mailbox system freestanding model 08-302 paper box with 50 mm mail slot and "Paper" engraving with rear wall Sky panelling 22-291 (pitched roof) rectangular tube frame 20-311 with base plates



Economy Class mailbox system flush-mounted model 08-202 with plaster frame 22-236 I/D box with intercom grid 21-161 name plate doorbell button 21-113





Business Class mailbox system freestanding model 08-312 rear wall Compact panelling 22-652 rectangular tube stands 20-315 with base plates I/D box with module preparation for the module (camera, bell) to be supplied by the customer

Business Class mailbox system freestanding model 08-302 2. name plate yes/no junk mail 21-255/21-145 rear wall Nova 20 panelling continuing as stand 22-316 with base plates I/D box with intercom grid 21-176 doorbell button 21-217E name plate 21-134



Business Class mailbox system partial installation model 08-307 Nova 20 panelling 150 mm depth I/D box with intercom grid 21-176 doorbell button 21-216FW name plate 21-134



Business Class mailbox system freestanding model 08-502 rear wall, Elegance panelling 22-680 rectangular tube stands 20-315 with base plates I/D box with intercom grid 21-176 doorbell button 21-217E name plate 21-134



Business Class stainless steel mailbox system freestanding 08-309 rear wall Nova 40 22-336E panelling continuing as stand 22-515E with base plates I/D compartment with intercom grid 21-174 doorbell button 21-216FW name plate 21-134 house number engraving, black

Horizontal mailbox (space-saving) - 08 JU



Business Class mailbox system frestanding model 08-302/312 rear wall Nova 40 panelling 22-335 rectangular tube stands 20-315 with base plates

Business Class mailbox system freestanding model 08-302 street engraving element rear wall, round edge panelling 22-245 I/D box with intercom grid 21-176 doorbell button 21-217E name plate 21-134 oval tube stands 20-405 with base plates



Economy-Class mailbox system surface-mounted model 08-512E Classic 20 panelling 22-251



III. 100/2



III. 100/3

Economy Class mailbox system surface-mounted model 08-502 Classic 40 panelling 22-261 2. name plate yes/no junk mail 21-255/21-145



Business Class mailbox system freestanding model 08-302 without name plate with engraving on the mail slot flap engraving box with street/house number engraving, white rear wall Classic 20 panelling 22-251 double rectangular stand 20-500





Business Class mailbox system surface-mounted model 08-302 newspaper box with turn lock Compact panelling 22-652 I/D box with preparation camera module to be supplied by the customer intercom grid 21-176 doorbell button 21-217E name plate 21-134



Business Class mailbox system model 08-307 Nova 20 panelling 22-315 I/D box with intercom grid 21-176 doorbell button 21-217E name plate 21-134

Business Class mailbox system freestanding model 08-302 rear wall round edge panelling 22-245 I/D box with intercom grid 21-174 doorbell button 21-216FW name plate 21-134 oval tube frame 20-401 with base plates



Horizontal mailbox (space-saving) - 08 JU

Economy Class mailbox system freestanding model 08-302 rear wall Classic 40 panelling 22-261 rectangular tube stands 20-315 with base plates



Business Class stainless steel mailbox system freestanding model 08-307E Nova 22-315E stainless steelround tube stand 20-321E with base plates I/D box with intercom grid 21-176 doorbell button 21-217E name plate 21-134

Economy Class mailbox system freestanding model 08-502 double high box 08-512 with newspaper slot flap with black engraving I/D box with intercom grid 21-161 name plate doorbell button 21-113 light button 21-100 rear wall Classic 20 panelling 22-251 rectangular tube stands 20-315 with base plates

Economy Class mailbox system surface-mounted model 08-502/512 Classic 20 panelling 22-251 message box 08-580 wall mounting rail

6 10 a----0----**6**----ø **B**-----0---ø B0 10 ø 0----- P ø B 12 0---- 0 2





First Class mailbox system freestanding model 08-502 SCS cushioned mail slot flaps with rear wall Nova 20 panelling 22-316 continuing as stand with base plates I/D box with intercom grid 21-174 doorbell button 21-216FW name plate 21-134



Economy Class mailbox system flush-mounted model 08-202 with plaster frame 22-236 $\,$ I/D box with intercom grid 21-161 name plate doorbell button 21-113

JU 08 - Plaster frame/panels



III. 108/1 Shadow gap frame 22-234 (aluminium or stainless steel)



III. 108/2 Plaster frame 20 mm 22-236 (aluminium or stainless steel)



III. 108/3 Plaster frame 40 mm 22-240 (aluminium or stainless steel)



III. 108/4 Round profile plaster frame 22-237 (aluminium)



III. 109/1 Signa 22-425



III. 109/2 Trapezoidal panelling 22-247



III. 108/5 Classic 40 mm 22-251



III. 108/6 Classic 40 mm 22-261



III. 108/7 Libra 20 mm 22-271



III. 108/11 Compact panelling 22-652



III. 108/15 Vita 20 mm 22-405



III. 108/16



III. 108/8 Libra 40 mm 22-281



III. 108/12 Elegance 22-680



Vita 40 mm 22-415



III. 109/5 Oval tube frame 20-401



III. 109/9 Cylindrical stand 120 mm 20-340



III. 109/13 Double rectangular stand 20-500



III. 109/6 Rectangular tube stands 20-315



III. 109/10 Cylindrical stand 190 mm 20-350




Cont. hull panelling Nova 20 mm 22-316 Nova 40 mm 22-336



III. 108/9 Sky II 22-291



III. 108/13 Hull panelling Nova 20 mm 22-315



Round edge panelling from 150 mm box depth 22-245



Hull panelling Nova 40 mm 22-335

Stands/frames - 08 JU



III. 109/3 Rectangular tube frame 20-311



III. 109/4 Round tube frame 20-321



III. 109/7 Round tube stands 20-325



III. 109/11 Square stand 20-370



III. 109/15 Roof overhang extension 70 mm incl. LED lighting 21-697



III. 109/8 Oval tube stands 20-405



III. 109/12 Rectangular stand 20-385



▲ JU-Metallwarenfabrik GmbH

Landauer Str. 14, 21-23 74582 Gerabronn

- **\$** +49 (0) 7952 603 0
- +49 (0) 7952 603 102
- info@ju-briefkasten.com
- www.ju-briefkasten.com

♠ Decayeux GmbH

- Gewerbepark Seedoche 7 14806 Bad Belzig
- **\$** +49 (0) 33841 97 0
- +49 (0) 33841 97 100
- info@ju-briefkasten.com
- www.ju-briefkasten.com

Your JU-salesman